PTO SB 08 2-42 - Sheet 1 of 4 - c

Form PTO-1449 (SEP 1 700)	Docket Number (Optional) 0152.00372	Application Number 09/593,629	1 3 111
INFORMATION DESCLOSURE TITATION IN AN APPLICATION	Applicant Don F. Cameron, et al		
(Use several sheets if necessary)	Filing Date 06-13-00	Group Art Unit 1633	

	ese severai sneets y neees		ATENT DOCUME	NTS			
EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING IF APPRO	
X	5,843,430	12 1:98	Selawry				
	5.958 404	1-28-19	Selawry				
	5,849 285	12-15-	Selawry				
· /	5.759 534	7 - 2- PX	Selawry	-			
	5.725 854	1 -98	Selawry				_
	F	OREIGN	PATENT DOCUM	AFNTS			-
	<u> </u>	T	T Docon	I	I I	TRANSI	ATION
	DOCKET NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	YES	NO
	OTHER DOCUM	ENTS /	Including Author, Title	, Date Pertin	ent Pages, Etc	·. <i>)</i>	
	Alderson, D. et al (1987)	. The Isola	tion of Purified Human Isl	ets of Langerh	ans. <i>Transplan</i>	tProc. 19:91	6-917.
T.	Alíson E. et al (1998). S Today, 4:471-477.	ertoli cell tr	ansplants: their use in the	treatment of n	eurode generativ	e disease. M	ol. Med.
),) The Serte	oli Cell. In: The Physiolog	ry of Reproduc	ction. Knobil. H	L and J. Neil	(eds).
Ì	Raven Press, Ltd., New Y			<u> </u>			
	Blarker, C.F. et lil (1968)		of Afferent Lymphocytes i	n the Rejectio	n of Skin Homo	grafts. J. Exp	n. Med.
<u> </u>	128:197-221			 			
			nensional Growth and Diff				
			ologic and Embryologic C CD95 Ligand in Preventi				209.
			ional recovery in female h				tion of
	Sertoli cells Proc Am			emin a tema m		£ (1011 4 million)	
			erebral transplantation of t	testis-derived :	Sertoli cells in fo	emale rats wi	th 6
			nsonian promotes function				
	Born, W. and H. Wekerle	Born, W. and H. Wekerle (1982). Leydig Cells Nonspecifically Suppress Lymphoproliteration in Vitro:					
			nunologically Privileged S				
		Born, W. et al (1981). Selective, Immunologically Nonspecific Adherence of Lymphoid Cells and Myeloid Cells to					
+ -	Leydig Cells. Fur J. Cr						-
			I for the Massive Separation	on of Highly P	urified, Adult P	rocine Islets o) 1
	Langerhans, Metabelism		ful Islet/Abdominal Testis	Truncal meet	an Daa, Xa Da	anne I as tes	Call
	Transplantation, 50: 649		tui isiev Andominai Tesus	s rranspiantati	on 170cs Not Re	equire reyarg	Cells.
•	Cameron D.F. at al. 100	Or Sustain	ed Hyperglycemia Results	in Testicular I	Dysfunction and	Reduced For	rtility
			J. Physiol., 259 (Endocrin			, reduced rel	· viiiy
	Cameron, D.F. et al (199		nal Regulation of Spermati			itte. J. Cell	$Se^{i}\hat{L}$,
	100:623-633						
	Cameron, D.F. et al (199	3). Testosto	erone Stimulates Spermatic	d Binding to C	ompetent Serto	li cells In Vit	LO.

1/12/02

√ .	
7	Cameron, D.F. et al. 1996. Enhanced post-thaw viability of cryopreserved rat tetal brain cells by Sert-a cells by
· ·	Sertoli cell Secretory products Proc. Am. Soc. Neural, Transpl.
7. 9.	Cameron, D.F. et al. (1997). Post thaw viability and functionality of cryopreserved rat fetal brain cells co-cultured
	with Sertoli cells. Cell Transplant. 6:185-189
	Cameron, D.F. et al (1998). Development of Sertoli cell binding competence in the peripubertal rat. J. Andrology.
200	19:573-579.
2001	Cantrell, D.A. et al. 1984. The Interleukin-2 T-Cell system: A New Cell Growth Model. Science, 224 1312-1316.
- t-	Chervonsky, A.V. et al. 1997. The role of Fas in autoimmune diabetes. Cell. 89:17.
	DeCesarts, A. et al. (1992 Inhibition of Lymphocyte Activation by Sertoli Cell Immunosuppressive Factoris)
	Immunelogia et Immunetarma elogia 12/2/86.
	Edgington, S.M. (1992). New Horizons for Stem-Cell Bioreactors. Bio/Technology 10:1099-1106.
	Evans M.G. et al (1990). Reversal of Diabetes in Dogs by Transplantation of Pure cryopreserved Islets
	Transplantation. 50:202-206.
l	Fawcett, D.W. et al (1973). Comparative Observation on Intertubular Lymphatics and the Organization of the
	Interstitual Tissue of the Mammalian Testis. Biol. Reprod. 9:500-512.
	Gainer, A.L. et al (1998). Improved survival of biolistically transfected mouse islet allografts expressing CTLA4-lg
T .	or soluble Fas ligand. Transplantation. 66:194-9.
 	Gondos, B. et al (1993). Postnatal and Pubertal Development. In: <u>The Sertoli Cell</u> , 1993. Russell LD, Griswold
	MD (eds). Cache River Press, Clearwater, Florida, pp 493-508.
	Goodwin, T.J. et al (1992). Morphologic Differentiation of Colon Carcinoma Cell Lines HT-29 and HT-29KM in
	Rotating Wall Vessels. In Vitre Cell. Dev. Biol. 28A:47-60
	Goodwin, T.J. et al (1993). Reduced Shear Stress: A Major Component in the Ability of Mammalian Tissues to
	Form Three-Dimensional Assemblies in Stimulated Microgravity. J. Cellul. Biochem. 51:301-311.
111	Goodwin, T.J. et al (1993). Rotating-Wall Vessel Coculture of Small Intestine as a Prelude to Tissue Modeling:
i i	Aspects of Stimulated Microgravity. Proceed Experiment. Biol. Med. 202:181-192.
	Gray, D.W.R. et al (1984). A Method for the Isolation of Islets of Langerhans from the Human Pancreas. <i>Diabetes</i> .
	33:1055-1061.
	Green, C.J. et al (1978). Extensive Prolongation of Rabbit Kidney Allograft Survival after Short-Term Cyclosporin-
	A Treatment. Lancet. 1:1182-1183.
	Griswold MD. Actions of FSH on mammalian Sertoli cells. In: The Sertoli Cell. 1993. Russell LD. Griswold MD.
	(eds). Cache River Press, Clearwater, Florida, pp 493-508.
	Hadley, M. et al (1985). Extracellular matrix regulates Sertoli cell differentiation, testis cord formation and germ
	cell development in vitro. J. Cell Biol. 101:1511-22.
	Head, J. et al (1983). Immune Privilege in the Testis. I. Basic Parameters of Allograft Survival. Transplantation.
	36:423-431.
	Head, J. et al (1983). Reconsideration of the Lymphatic Drainage of the Rat Testis. Transplantation, 35:91-95.
	Hedger, M.P. (1989). The Testis as an "Immunologically Suppressed" Tissue? Reprod. Fertil. Dev. 1:75-81.
	Hess, A.D. (1985). Effect of Interleukin 2 on the Immunosuppressive Action of Cyclosporine. Transplantation.
	39:62-68.
	Homan, W.P. et al. (1980). Studies on the Immunosuppressive Properties of cyclosporin A in Rats Receiving renal
	Allografts. Transplantation, 29:361-366.
	Horaguchi, A. and R.C. Merrell (1981). Preparation of Vible Islet Cells from Dogs by a New Method. Diabetes.
	30:455-458.
	Kang, S.M. et al (1997). Fas ligand expression in islets of Langerhans does not confer immune privilege and
	instead targets them the rapid destruction. Nature Med. 3,738.
	Kaufman, D.B. et al (1990). Functional Outcome as Influenced by Islet Number and Implantation Site.
	Transplantation, 50:385-391
	Kneteman, N.M., et al (1986). Isolation and Cryopreservation of Human Panercatic Islets. Transplant. Proc.
	18:182-185.
	Kneteman, N.M. et al (1990) Prolonged Function of Canine Fragments Autotransplanted to the Spleen by Venous
	Reflux Transplantation, 49:679-681.
	Kuhn F. et al (1985). Morphological Investigations in Human Islets of Langerhans Isolated by the Velcro
	Technique Biomed Biochem Acta. 44:149-153.
	Lau, H. et al (1996). Prevention of islet allograft rejection with engineered myoblasts expressing Fasl, in mice.
	Science, 273:109
	Leapman, S.B., et al (1981). Differential Effects of Cyclosporine A on Lymphocyte Subpopulations. <i>Transplant</i>
1 + - +	Proc. 13:405-409
1 1	London, N.J.M. et al (1990). A Simple Method for the Release of Islets by Controlled Digestion of the Human
	Pancreas. Transplantation 49: 1109-1113.
	Martin, D.C. (1982). Malignancy in the Cryptorchid Testis. Urol. Clinics N. Amer. 9:371-376.
1 1 1	Muruve, D. et al (1997). Adenovirus-mediated expression of Fas ligand indices hepatic apoptosis after systemic
	administration and apoptosis of ex vivo-infected pancreatic islet allografts and isografts. Human Gene Ther. 8:955.

E. in.

4/12/22

SEP

* ()	N. S. A. J. 1991. Burney, J. D. S. A. D. A. D. A. Marrier, T. J. A. S. C. S. 1912. No. 200
	Naji, A. et al (1981). Prevention of Dribetes in Rats by Bone Marrow Transplantation. Ann. Surg. 194:328-338
	Ogasawara, J. et al (1993). Lethal effect at the anti-Eas antibody in mice. Nature, 364:806.
	Othberg, A.I. et al (1998). Preparation of cell suspension for co-transplantation; methodological considerations. Neurosci let., 247:111-114.
1 7 2001	Othberg, A.I. et al (1998). Trophic effect of porcine Sertoli cells on rat and human ventral mesencephalic cells an hNT neurons in vitro. <i>Cell Transplant</i> . 7:157-164
3 /	Prowse, S.J. et al (1986). Islet Allografts are Destroyed by Disease Occurrence in the Spontaneously Diabetic BE Rat. <i>Diabetes</i> , 35:110-118.
	Ricordi, C ₁ et al (1989). Automated Islet Isolation form Human Pancreas. <i>Diabetes</i> . 38 (Suppl. 1):140-142.
4	Ricordi, C., et al (1990). Isolation of the Ilusive Pig Islet. Surgery, 107:688-694.
	Sanberg, P.R. et al (1966). New horizons in xenograft cross-species transplantation for neurodegenerative diseas Proc. Internat. Behav. Neurosci. Soc.
	Sanberg, P.R. et al (1995). The effects of Sertoli cell co-transplantation with chromaffin cells in the rat model of Parkinson's disease. Nature's Letters (In review
	Sanberg, P.R. et al (1996). Testis-derived Sertoli cells survive and provide localized immunoprotection for
	xenografts in rat brain. Nature Biotechnol. 14:1692-5. Sanberg, P.R. et al (1996). Transplantation of testis-derived Sertoli cells into the Mammalian brain. Third Intern
	Cong. Cell Transpl. Soc Sanberg, P.R. et al (1997). Testis-derived cultured Sertoli cell as a natural Fast, secreting cell for
	immuosuppressive cellular therapy. Cell Transplant., 191-193. Sanberg, P.R. et al (1997). Testis-derived Sertoli cells have a trophic effect on dopamine neurons and alleviate
1	hemiparkinsonian in rats. Nature Medicine, 3:1129-1132.
	Scharp, D.W. (1988). The Elusive Human Islet: Variables Involved in its Effective Recovery. In: VanSchilgaard R. Hardy M.A. eds <u>Transplantation of the Endocrine Pancreas in Diabetes Mellitus</u> . Amsterdam Elsevier, page 97.
	Scharp, D.W. et al (1987). Low-Temperature Culture of Human Islets Isolated by the Distention Method and
	Purified with Ficoll or Percoll Gradients. Surgery, 102:869-879.
	Schwarz, R.P. et al (1992). Cell Culture for Three-Dimensional Modeling in Rotating-Wall Vessels: An Application of Stimulated Microgravity. <i>J. Tiss. Cult. Meth.</i> 14:51-58.
	Selawry, H. et al (1993). Sertoli Cell-Enriched Fractions in Successful Islet Cell Transplantation. Cell Transplantation 2:123-129.
	Selawry, H. et al (1993). Sertoli Cell-Enriched Fractions in Successful Islet Cell Transplantation. <i>Cell Transplantation</i> , 2:123-129.
	Selawry, H., et al (1986). Effect of Cyclosporine on Islet Xenograft Survival in the BB/W Rat. <i>Transplantation</i> . 42:568-575.
	Selawry, H., et al. (1987). Extended Survival of the MHC-Compatible Islet Isografts in the Spontaneously Diabet BB/W Rat. <i>Diabetes</i> , 36:1061-1070.
	Selawry, H., et al. Production of a Factor, or Factors, Suppressing II2 Production and T cell Proliferation by Sertoli Cell-Enriched preparations. <i>Transplantation</i> , 52:846-850.
	Selawry, H.P. et al (1989). Abdominal, Intratesticular Islet-Xenograft Survival in Rat. <i>Diabetes</i> , 38:220-223.
	Selawry, H.P. et al (1996). Sertoli Cell-induced Effects on Functional and Structural Characteristics of Isolated
	Neonatal Porcine Islets. Cell Transplantation, 5:517-24. Selawry, H.R. et al (1985). Intratesticular Islet Allografts in the Spontaneously Diabetic BB/W Rat. Diabetes.
	34:1019-1023. Skinner M.K. (1993) Secretion of Growth Factors and Other Regulatory Factors. In: <u>The Sertoli Cell.</u> 1993.
	Russell LD, Griswold MD (eds). Cache River Press, Clearwater, Florida. pp 493-508. Tanaka, M, et al (1997). Lethal effect of recombinant human Fas ligand in mice pretreated with Propionibacteriu
1	icnes. J.Immunol. 158:2303. Thompson, S.C. et al (1990). Preparation and Assessment of Tissue for Transplantation and its In Vivo
	Development in Athymic (Nude Mice). Transplantation, 49:571-581. Warmock, G.L. et al (1988). Studies of the Isolation and Viability of Human Islets of Langerhans. Translantation
	45:957-963.
	Warnock, G.L. et al (1989). Viable Purified Islets from Collagenase-Perfused Human Pancreas. <i>Diabetes</i> , 38 (Suppl.1):136-139.
	Weringer, E.J. et al (1985). Immune Attack on Pancreatic Islet Transplants in the Spontaneously Diabetei. Biobreeding/Worcester (BB/W) Rat is not MHC Restricted. <i>J. Immunol.</i> 134:2383-2391.
	Whitmore, W.F. et al (1978). Intratesticular Grafts: The Testis as an Exceptionally Immunologically Privileged Site. <i>Trans. Am. Assoc. Gen. Urmary Surg.</i> 70:76-80.
Y	Wickelgren, I. (1996). Museling Transplants into Mice. Science, 273:33.
4	Williams, H.J.H., P. Barkham, and N.G.P. Slater (1978). Testicular Relapse in Acute Leukemia. Lancet. 2:1152

in the first

4/12/22

	Willing, A.F. et al (1998). Sertoli transplants to treat neuro-degenerative disease. Mol. Med. Today, 4:471-477.				
	Willing, A.E. et al (1999). Sertoli cells decrease microglia response and increase engraftment of human hNT neurons in the hemiparkinsonial rat straitum. <i>Brain Rev. B.d.</i> , 48 441 444.				
	Willing, A.F. et al (1999). Sertoli cells 822:246-250.	s enhance the survival of co-transplanted dopamine neurons	Brain Research.		
#C = 3	Yagita, H. et al (1996). CD95 ligand in	n graft rejection. Nature, 379-682.	1		
1, 100,			()		
			111		
			3.1		
EXAMINER	• 7	DATE CONSIDERED			
	G. The - 1:	4/12/60	† . 3 _ (

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.

PTO/SB/ 08 (2-92) COMMERCE Patent and Trademark Office; U.S. DEPARTMENT OF